



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

New York (via); steamship *Zippora*, from Colastine to Gulfport; steamship *Persiana*, from Buenos Aires to Hampton Roads; steamship *Trinidad*, from Castries to New York; steamship *Inkula*, from Rio Janeiro to Galveston; steamship *Minerva*, from Norfolk to Bremer-ton, Wash.; steamship *Gunther*, from Rio Grande to New York; steamship *Bradford C. French*, from Portland, Me., to Wilmington, N. C.; steamship *Skipsea*, from Buenos Aires to Mobile. Sanitary condition of vessels, cargoes, crews, and passengers good. Total number of members of crews, 544; passengers, 267; total persons, 811.

Of the above number of passengers, 121 were for Panama. Of crews, 36 were for handling cargo.

Sanitary condition of this port and island remains good. No quarantinable diseases reported this week for the port or island.

Week ended October 12. Bills of health were issued as follows: Steamship *Moorby*, from Cardiff to Tampa; steamship *Maranhense*, from Manaus to New York; steamship *Orator*, from Liverpool to Galveston; steamship *Hilarius*, from Rosario to New York; steamship *Huttonwood*, from Norfolk to Mare Island; steamship *Oswestry*, from Bahia Blanca to Brunswick; steamship *Columbine*, from Teneriffe to San Juan; steamship *Ecclesia*, from Buenos Aires to Savannah; steamship *Welsh Prince*, from Santos to New Orleans; steamship *Vardoen*, from Luderitz Bay to Apalachicola; steamship *Beatrice*, from Montevideo to Boston; steamship *Smeroe*, from Buenos Aires to Gulfport. Sanitary condition of vessels, cargoes, crews, and passengers, good. The *Moorby*, *Oswestry*, *Ecclesia*, and *Welsh Prince* were fumigated. Total number of crews, 324; passengers, 24; total persons, 348. Sanitary condition remains good. No quarantinable diseases reported for the island or port.

#### FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND CITIES— UNTABULATED.

AFRICA—*Kimberley*.—Month ended September 14, 1907. Estimated population, 54,141. Total number of deaths, 116.

BRAZIL—*São Paulo, Santos, and Campinas*.—Week ended September 1, 1907. Estimated population, 300,000. Total number of deaths, 173, including enteric fever 1, whooping cough 1, and 11 from tuberculosis.

Week ended September 8, 1907. Total number of deaths, 167, including enteric fever 1, measles 3, whooping cough 2, and 13 from tuberculosis.

Week ended September 15, 1907. Total number of deaths, 157, including enteric fever 1, measles 3, and 17 from tuberculosis.

*San Salvador*.—Month of April, 1907. Estimated population, 265,000. Total number of deaths, 341, including enteric fever 1, beriberi 2, plague 2, whooping cough 3, and 52 from tuberculosis. Month of May, 1907. Total number of deaths, 367, including enteric fever 5, beriberi 6, leprosy 1, plague 2, smallpox 1, whooping cough 1, and 61 from tuberculosis. Month of June, 1907. Total number of

deaths, 362, including diphtheria 2, beriberi 3, plague 1, whooping cough 1, and 56 from tuberculosis.

**COSTA RICA**—*San Jose*.—Month of September, 1907. Estimated population, 25,525. Total number of deaths, 46, including enteric fever 1 and 3 from tuberculosis.

**FRANCE**—*Calais*.—Month of September, 1907. Estimated population, 66,627. Total number of deaths, 120, including scarlet fever 1, whooping cough 1, and 21 from tuberculosis.

*St. Etienne*.—Two weeks ended September 30, 1907. Estimated population, 150,000. Total number of deaths, 138, including diphtheria 2, enteric fever 5, and 14 from tuberculosis.

*Toulon*.—Month of September, 1907. Estimated population, 104,000. Total number of deaths, 124, including diphtheria 1 and 9 from enteric fever.

**GIBRALTAR**.—Two weeks ended October 13, 1907. Estimated population, 27,385. Total number of deaths, 17.

**GREAT BRITAIN**—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended October 5, 1907, correspond to an annual rate of 14.8 per 1,000 of population, which is estimated at 16,024,458.

*London*.—One thousand two hundred and twelve deaths were registered during the week, including measles 5, scarlet fever 18, diphtheria 25, enteric fever 6, whooping cough 18, tuberculosis 135, and 126 from diarrhea. The deaths from all causes correspond to an annual rate of 13.3 per 1,000. In Greater London 1,754 deaths were registered. In the "outer ring" the deaths included 1 from measles, 2 from scarlet fever, 2 from diphtheria, and 11 from whooping cough.

*Portsmouth*.—Four weeks ended September 14, 1907. Estimated population, 208,291. Total number of deaths, 179, including diphtheria 3, measles 1, and whooping cough 2.

*Salford*.—Two weeks ended September 28, 1907. Estimated population, 236,670. Total number of deaths, 125, including diphtheria 3, whooping cough 1, scarlet fever 2, measles 1, and phthisis pulmonalis 9.

*Ireland*.—The average annual death rate represented by the deaths registered during the week ended October 5, 1907, in the 21 principal town districts of Ireland was 19.6 per 1,000 of the population, which is estimated at 1,117,547. The lowest rate was recorded in Drogheda, viz, 4.1, and the highest in Sligo, viz, 52.8 per 1,000. In Dublin and suburbs 161 deaths were registered, including diphtheria 3, whooping cough 3, and 43 from tuberculosis.

*Scotland*.—The deaths registered in 8 principal towns during the week ended October 5, 1907, correspond to an annual rate of 13.2 per 1,000 of the population, which is estimated at 1,812,171. The highest rate of mortality was recorded in Glasgow and Perth, viz,

15.0, and the lowest in Dundee, viz, 8.5 per 1,000. The aggregate number of deaths registered from all causes was 457, including diphtheria 3, scarlet fever 2, enteric fever 2, measles 2, and 17 from whooping cough.

**MALTA.**—Two weeks ended October 5, 1907. Estimated population, 206,689. Total number of deaths, 175, including diphtheria 1, enteric fever 1, and 13 from tuberculosis.

**MAURITIUS.**—Month of July, 1907. Estimated population, 375,400. Total number of deaths, 1,042, including plague 3, enteric fever 3, whooping cough 1, and 55 from tuberculosis.

**OCEANIA**—*Society Islands, Tahiti.*—Five weeks ended September 26, 1907. Estimated population, 4,000. Total number of deaths 4, including enteric fever 1, and 1 from tuberculosis.

**PHILIPPINES**—*Manila.*—Quarter ended March 31, 1907. Estimated population, 219,941. Total number of deaths of residents, 1,569, including diphtheria 3, enteric fever 21, leprosy 11, and 280 from tuberculosis. The number of deaths occurring among transients was 70, including enteric fever 3, and 13 from tuberculosis.

Quarter ended June 30, 1907. Total number of deaths of residents, 1,280, including enteric fever 16, leprosy 9, smallpox 1, whooping cough 1, and 250 from tuberculosis. The number of deaths occurring among transients was 72, including diphtheria 1, enteric fever 4, and 15 from tuberculosis.

**SIAM**—*Bangkok.*—Four weeks ended August 31, 1907. Twelve deaths from cholera and 1 from plague reported.

**SPAIN**—*Cadiz.*—Month of September, 1907. Estimated population, 69,382. Total number of deaths, 142, including enteric fever 2, whooping cough 2, smallpox 4, and 19 from tuberculosis.

*Madrid.*—Month of October, 1907. Estimated population, 547,399. Total number of deaths, 898, including diphtheria 10, enteric fever 18, measles 6, scarlet fever 8, whooping cough 2, smallpox 1, and 124 from tuberculosis.

*Seville.*—Month of September, 1907. Estimated population, 148,315. Total number of deaths, 396, including diphtheria 7, enteric fever 7, scarlet fever 3, and 75 from tuberculosis.

**WEST INDIES**—*Curaçao.*—Two weeks ended October 11, 1907. Estimated population, 31,600. Total number of deaths, 7. No deaths from contagious diseases reported.

**WEST INDIES**—*St. Christopher.*—Three weeks ended October 5, 1907. Estimated population, 49,289. Total number of deaths, 72, including 5 from tuberculosis.

*St. Lucia, Castries.*—Month of September, 1907. Estimated population, 7,000. Total number of deaths, 25.

*St. Thomas.*—Two weeks ended October 4, 1907. Estimated population, 11,012. Total number of deaths, 8.